verify. quantify. **★ERAFY**®

Xerafy Titanium Metal Skin™ EPC UHF RFID Inlay for Metallic and Non-metallic Assets

Xerafy's Titanium Metal Skin™ is a revolutionary RFID label for smart tagging both metallic and non-metallic assets. Titanium Metal Skin™ is extremely flexible and has a low profile to fit small assets like smart phones and tablets. Compliant to EPCglobal UHF Gen2 and ISO 18000-6C standards, Titanium is cost effective and versatile for a wide range of applications from product authentication and IT asset tracking, to global tracking of assets shipped and anti-counterfeiting of high value items and medical supplies. Titanium Metal Skin is available in individual label form.



Features:

- High performance, cost effective label for small assets
- Performs reliably on and off metal
- Lightweight and flexible with paper-thin profile



Titanium Metal Skin™Smart Label

Titanium Metal Skin™ is a high performance, cost efficient RFID metal label for tagging small IT assets and foil-based packages.

Specifications:

EPC Class 1 Gen 2 (ISO 18000-6C)	48-bit serialized TID
Passive UHF RFID transponders	128-EPC bits*
Frequency:	902-928 MHz (US); 866-868 MHz (EU)
Read range on metal (2W ERP):	Up to 4 ft (1.2 m)
Read range off metal (2W ERP):	Up to 2 ft (0.6 m)
Operating temperature:	-40°F to +185°F (-40°C to +85°C)
Application temperature:	-40°F to +185°F (-40°C to +85°C)
Dimensions of inlay / tolerance (in):	1.77(+/- 0.04) x 0.16(+/- 0.004) x 0.03(+/- 0.004)
Dimensions of label / tolerance (in):	1.77(+/-0.04) x 0.22(+/-0.02) x 0.03(+/-0.004)
Quantity per reel	1500
Weight (reel):	2.54 lbs (1.15 kg)
Attachment:	High performance adhesive
Label:	White thermal transfer PET
Compliance:	RoHS, CE
Printer compatibility	Zebra R110Xi4

Applications:

Product authentication
IT asset and laptop tracking
Radio and mobile equipment
Foil-based packaging

