



**Card
Printer
Solutions**



Genuine Zebra[®] Supplies

General Guidelines

Storage

Avoid storing cards, print ribbons, varnish overlays, laminate ribbons, and cleaning supplies in the following places:

- Direct exposure to sunlight
- Areas with high temperatures and high relative humidity
- Areas with nearby heat source
- Areas where chemicals and other solvents are stored

Usage

- Use cards, print ribbons, varnish overlays, laminate ribbons, and cleaning supplies according to directions in card printer user's manuals.
- Avoid touching the printing surface of cards, ribbons, overlay varnish, and laminate ribbons as it may cause printing voids.
- Avoid any contamination during the loading of cards, ribbons, overlay varnish, and laminate ribbons as contamination can cause print quality issues.
- Improper storage can cause varnish overlays and laminate ribbons to pre-activate (laminates will become sticky).

Zebra Technologies Corporation

Card Printer Solutions » 1001 Flynn Road, Camarillo, CA 93012-8706 USA T +1 805 579 1800 F +1 805 579 1808 www.zebracard.com





Genuine Zebra Supplies

Warranty, Usage and Environmental Storage Conditions

True Colours[®] Monochrome Resin Ribbons					
Part Number	Description	Warranty	Storage T°C	Humidity	Light
800015-101 800015-201 800015-301 800015-901	Black Monochrome Ribbon	2 years	+5 to +35°C	< 80 %	No direct light
800015-102	Red Monochrome	2 years	+5 to +35°C	< 80 %	No direct light
800015-103	Green Monochrome	2 years	+5 to +35°C	< 80 %	No direct light
800015-104 800015-904	Blue Monochrome Ribbon	2 years	+5 to +35°C	< 80 %	No direct light
800015-106	Gold Metallic Ribbon	2 years	+5 to +30°C	35 to 65%	No direct light
800015-107	Silver Metallic Ribbon	2 years	+5 to +30°C	35 to 65%	No direct light
800015-109 800015-909	White Monochrome Ribbon	2 years	+5 to +35°C	25 to 80%	No direct light
800015-185	Scratch-Off Gray Ribbon	2 years	+0 to +40°C	35 to 65%	No direct light



Genuine Zebra Supplies

Warranty, Usage and Environmental Storage Conditions

True Colours® Dye Sublimation Print Ribbons					
Part Number	Description	Warranty	Storage T°C	Humidity	Light
800015-148 800015-448 800015-948	6 Panel Color Ribbon YMCKOK	2 years	+5 to +30°C	35 to 65%	Dark Place
800015-140 800015-240 800015-340 800015-440 800015-540 800015-640 800015-940	5 Panel Color Ribbon YMCKO	2 years	+5 to +30°C	35 to 65%	Dark Place
800014-980 800015-180 800015-480 800015-880	5 Panel Color Ribbon YMCKK	2 years	+5 to +30°C	35 to 65%	Dark Place
800014-941 800015-543 800015-841	5 Panel Color Ribbon YMCUvK	2 years	+5 to +30°C	35 to 65%	Dark Place
800014-945 800015-145 800015-445 800015-545 800015-845	4 Panel Color Ribbon YMCK	2 years	+5 to +30°C	35 to 65%	Dark Place
800015-170 800015-470	3 Panel Color Ribbon YMC	2 years	+5 to +30°C	35 to 65%	Dark Place
800015-150 800015-450	2 Panel Black Ribbon Kdye + O	2 years	+5 to +30°C	35 to 65%	Dark Place
800015-160 800015-460	2 Panel Resin Ribbon KResin + O	2 years	+5 to +30°C	35 to 65%	Dark Place
800014-547	½ Panel YMC Full K ribbon ½ YMC Full K	2 years	+5 to +30°C	35 to 65%	Dark Place



Genuine Zebra Supplies

Warranty, Usage and Environmental Storage Conditions

True Secure™ Varnish Overlay

Part Number	Description	Warranty	Storage T°C	Humidity	Light
800015-122	Clear Varnish	2 years	+21°C to +26°C	30 to 50%	No direct light
800015-120	Genuine Secure Hologram Varnish	2 years	+21°C to +26°C	30 to 50%	No direct light
800015-131	Clear Varnish for P500 & P520	2 years	+21°C to +26°C	30 to 50%	No direct light
800015-035	Hand Applied Laminate Patches (Genuine Hologram Image)	2 years	+21°C to +26°C	30 to 50%	No direct light

True Secure - P500 & P520 Laminate Patches

Part Number	Description	Warranty	Storage T°C	Humidity	Light
800015-012	Clear with coverage for Mag Stripe	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-013	Clear with coverage for Smart Cards	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-014	Clear with full coverage	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-031	Clear Mixed (Full & Mag Stripe)	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-032	Genuine Secure Hologram	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-033	World Globe Hologram	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-135	Clear with full coverage	1 year	+20°C to +25°C	30 to 50%	No direct light
800029-xxx	Custom Hologram Orders	1 year	+20°C to +25°C	30 to 50%	No direct light



Genuine Zebra Supplies

Warranty, Usage and Environmental Storage Conditions

True Secure – P620, P640 & P720 Laminate Rolls					
Part Number	Description	Warranty	Storage T°C	Humidity	Light
800015-712 800015-912	Clear for Mag Stripe Cards	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-713 800015-913	Clear with coverage for Smart Cards	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-714 800015-914	Clear Full Size	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-715 800015-915	Hologram World Globe Image	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-716 800015-916	Hologram Genuine Secure	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-717 800015-917	Signature Panel Writable Matte Full Size	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-718	Signature Panel Writable Matte Mag Stripe	1 year	+20°C to +25°C	30 to 50%	No direct light
800070-xxx 800080-xxx	Custom Holograms Orders	1 year	+20°C to +25°C	30 to 50%	No direct light



Genuine Zebra Supplies

Warranty, Usage and Environmental Storage Conditions

Plastic Cards & Cleaning Supplies					
Part Number	Description	Warranty	Storage T°C	Humidity	Light
104523-xxx 104524-xxx	Premier PVC Cards Premier Plus Cards	2 years	+5°C to +30°C	30 to 50%	No direct light
105912-301 105912-003	Adhesive Cleaning Rollers for Printer's Cleaning Cartridges	1 year	+20°C to +25°C	30 to 50%	No direct light
800015-800	Cleaning Tape	1 year	+20°C to +25°C	30 to 50%	No direct light
105912-002 105926-055 800015-802	Cleaning Cartridges	1 year	+20°C to +25°C	30 to 50%	No direct light
104531-001 105912-707	Cleaning Cards	1 year	+20°C to +25°C	30 to 50%	No direct light
105909-057	Cleaning Swabs	1 year	+20°C to +25°C	30 to 50%	No direct light