GRYPHON™ I GPS4400 2D

ODATALOGIC





CONVENIENT AND VERSATILE

The Gryphon™I GPS4400 on-counter, omnidirectional presentation scanner offers hands-free scanning of small, easily handled items and handheld scanning operation for bulkier items. The reader's compact size makes it the ideal solution for space-constrained environments. Its adjustable stand positions the scanner for easy, intuitive reading. The stand can easily be removed if it is not needed, further reducing the overall dimensions of the scanner.

MODERN FEATURES FOR TODAY'S POS

Capable of reading codes from mobile phones, PDAs and computer display screens, the GPS4400 presentation scanner additionally features outstanding near-field reading, a wide angle field-of-view, high motion tolerance, snappy reading and offers excellent performance on decoding poor or damaged bar codes. As with all Gryphon products, it offers good-read visual confirmation with Datalogic's patented 'Green Spot' technology as well as supporting advanced features like image / signature capture and document scanning, eliminating the need for separate equipment at the POS.

SIMPLE TO USE AND DEPLOY

Aggressive imaging performance and simple operation reduces the need for training and speeds the checkout process for better customer service. The precise reading area of the GPS4400 scanner helps to reduce accidental misreads of items - improving productivity and customer satisfaction. Additionally, it has several modes that can be used as a trigger. It can automatically sense objects and trigger itself, or a continuous scan mode captures data whenever a bar code passes into its field-of-view. The reader can also be triggered remotely through software commands.













FEATURES

- Snappy omnidirectional reading
- Intuitive aiming system
- Compact, ergonomic design is ideal for hands-free or handheld operation
- Illumination system optimized to allow easy reading of bar codes from mobile phones, laptops or PDAs
- Image capture
- Available interfaces: RS-232 or USB (USB-HID or USB COM)
- Adjustable stand
- EASEOFCARE Service Plans offer a wide range of service options to protect your investment, ensuring maximum productivity and ROI

INDUSTRY-APPLICATIONS

- Retail Point of Sale
- Commercial Services: Postal,
 Banks, Public Administration,
 Utilities

GRYPHON™ I GPS4400 2D

ODATALOGIC

ECHNICAL SPECIFICATION

DECODING CAPABILITY

Autodiscriminates all standard 1D codes including GS1 DataBar™ linear codes 1D / LINEAR CODES 2D CODES Aztec Code; China Han Xin Code; Data Matrix; MaxiCode; Micro QR Code; QR Code POSTAL CODES Australian Post; British Post; Canadian Post; China Post; IMB; Japanese Post; KIX Post; Planet

Code; Portuguese Post; Postnet; Royal Mail Code (RM4SCC); Swedish Post

EAN/JAN Composites; GS1 DataBar Composites; GS1 DataBar Expanded Stacked; GS1 DataBar Stacked; GS1 DataBar Stacked Omnidirectional; MacroPDF; MicroPDF417; PDF417;

UPC A/E Composites

ELECTRICAL

INPUT VOLTAGE

STACKED CODES

CURRENT Operating (Typical): 175 mA; Max: 200 mA

Standby/Idle (Typical):

Automatic/Object Sense Modes: 105 mA Trigger/Serial On Line Modes: 55 mA

5 VDC (+/- 5%)

ENVIRONMENTAL

AMBIENT LIGHT 0 to 100,000 lux

Withstands repeated drops from 1.2 m / 4.0 ft DROP RESISTANCE

onto a concrete surface 16 kV

ESD PROTECTION (AIR DISCHARGE) HUMIDITY (NON-CONDENSING) 90% PARTICULATE AND WATER SEALING IP52

Operating: 0 to 40 °C / 32 to 104 °F TEMPERATURE

Storage/Transport: -40 to 70 °C / -40 to 158 °F

INTERFACES

INTERFACES RS-232;

USB: OEM USB; USB COM; USB HID Keyboard

PHYSICAL CHARACTERISTICS

COLORS AVAILABLE Black; White

DIMENSIONS With Stand: 12.1 x 10.7 x 7.3 cm / 4.8 x 4.2 x 2.9 in Without Stand: 7.4 x 9.5 x 6.4 cm / 2.9 x 3.7 x 2.5 in

WFIGHT With Stand: 295.0 g / 10.4 oz Without Stand: 178.0 g / 6.3 oz

READING PERFORMANCE

FIELD OF VIEW Horizontal x Vertical: 40° H x 26° V IMAGE CAPTURE

752 x 480 pixels

Graphic Formats: BMP, JPEG, TIFF

Greyscale: 256, 16, 2 LIGHT SOURCE Aiming: 650 nm VLD Illumination: 625 nm LED

PRINT CONTRAST RATIO (MINIMUM)

READING ANGLE

Pitch: +/- 40°; Roll (Tilt): +/- 180°;

Skew (Yaw): +/- 40°

Beeper (Adjustable Tone and Volume); Datalogic READING INDICATORS

'Green Spot' Good Read Feedback; Good Read

LED

RESOLUTION (MAXIMUM) 1D / Linear Codes: 0.102 mm / 4 mils Data Matrix: 0.178 mm / 7 mils

READING RANGES

TYPICAL DEPTH OF FIELD Minimum distance determined by symbol length

and scan angle

Printing resolution, contrast, and ambient light

dependent.

Code 39: 5 mils: 2.6 to 18.8 cm / 1.0 to 7.4 in Code 39: 10 mils: 0.0 to 37.9 cm / 0.0 to 14.9 in Data Matrix: 10 mils: 2.3 to 14.5 cm / 0.9 to 5.7 in Data Matrix: 15 mils: 0.0 to 23.2 cm / 0.0 to 9.1 in EAN: 13 mils: 0.8 to 42.2 cm / 0.3 to 16.6 in PDF417: 10 mils: 0.0 to 22.4 cm / 0.0 to 8.8 in QR Code: 10 mils: 2.3 to 14.3 cm / 0.9 to 5.6 in

SAFETY & REGULATORY

AGENCY APPROVALS

ENVIRONMENTAL COMPLIANCE LASER CLASSIFICATION

The product meets necessary safety and regulatory approvals for its intended use. The Quick Reference Guide for this product can be referred to for a complete list of certifications. Complies to China RoHS; Complies to EU RoHS Caution Laser Radiation - Do not stare into beam CDRH Class II; EN 60825-1 Class 2;

IEC 60825 Class 2

UTILITIES

DATALOGIC ALADDIN™

OPOS / IAVAPOS

Datalogic Aladdin configuration program is available for download at no charge JavaPOS Utilities are available for download at no charge

OPOS Utilities are available for download at no.

charge REMOTE HOST DOWNLOAD Lowers service costs and improves operations

WARRANTY

WARRANTY 3-Year Factory Warranty



Solutions for Automatic Identification, Barcodes and Mobility

More than 15,000 customers in 15 countries • More than 60,000 products in stock



800 729 0236 www.logiscenter.us



020 3318 8265 www.logiscenter.co.uk



911 433 048 www.logiscenter.com



0241 9550 9225 www.logiscenter.de



0720 115814 www.logiscenter.at



02 4792 1697 www.logiscenter.it



01 82 88 44 70 www.logiscenter.fr



02 58 80 583 www.logiscenter.be



308 800 842 www.logiscenter.pt

About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

All Brands Technical Service

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permament stock of more than 60,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.

Our Brands





EPSON





PRIMTRONIX







TOSHIBA



Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



PVC card printers



Barcode readers



RFID



Data terminals & PDA



Consumables (labels, ribbons, PVC cards)