

# WorkForce® Pro WF-C5390

Printer

Workgroup



## Color printer built for reliability and powerful productivity.

**Lowest power consumption in its class<sup>1</sup>** — powered by PrecisionCore Heat-Free® technology, the next generation of inkjet printing technology

**Engineered for reliability** — recommended monthly print volume of 5,000 pages

**Powerful business productivity** — print speed of 25 ISO ppm (black/color)<sup>†</sup> with virtually no warmup time; fast first page out for quick and seamless printing

**Minimize your interventions** — Replaceable Ink Pack System lets you print up to 5,000 ISO pages with replacement ink packs<sup>2</sup>; 1,830-sheet capacity with three optional trays

**High performance and great value** — save up to 25 percent on replacement ink vs. color laser toner<sup>3</sup>

**Open-platform ready** — seamless integration with enterprise applications such as PaperCut® MF and other workflows; supports PCL<sup>4</sup> and PostScript®

**Compatible with Epson® Solutions Suite** — including Epson Remote Services, Epson Device Admin and Epson Print Admin

**Pro-quality results to make your business look its best** — with DURABrite® Ultra Ink, achieve razor-sharp text and brilliant colors on a wide variety of media

**Enabled for remote printer data collection** — compatible with MPS software solutions from PrintFleet®, ECI FMAudit® and others

*Designed for use exclusively with Epson® ink packs\*.*

**Print**

**Printing Technology** PrecisionCore Heat-Free technology 4S printhead 4-color inkjet  
**Printer Language(s)** Epson ESC/P-R, PCL 5 emulation<sup>†</sup>, PCL 6 emulation<sup>†</sup>, PostScript 3 emulation  
**Maximum Print Resolution** 4800 x 1200 optimized dpi  
**Print Speed**<sup>†</sup> 25 ISO ppm (black), 25 ISO ppm (color)  
**First Page Out Time (FPOT)**<sup>†</sup> 5.3 sec  
**First Set Out Time (FSOT)**<sup>†</sup> 14 sec  
**Auto 2-Sided Print Speed**<sup>†</sup> 16 ISO ppm (black), 16 ISO ppm (color)  
**Minimum Ink Droplet Size** As small as 3.8 picoliters  
**Monthly Duty Cycle**<sup>†</sup> Monthly: up to 70,000 pages; Recommended monthly page volume: up to 5,000 pages

**Mobile Printing**<sup>7</sup>

**Epson Connect™ Solutions** Epson Email Print, Epson iPrint™ app (iOS®, Android™), Epson Remote Print™  
**Other Epson Smart Panel™** app (iOS, Android), Apple® AirPrint®, Android printing, Mopria® Print Service

**Security**

**Security Features** PIN number certification for job release, user control access, printer and network settings via Web Config using printer's IP address, SSL/TLS security, IPsec

**Connectivity**

**Standard Connectivity**  
 Hi-Speed USB  
 Wireless (802.11 b/g/n/a/ac), Wi-Fi®  
 Wi-Fi Direct®  
 Wired Ethernet (1000Base-T/100Base-TX/10Base-T)  
**Network Protocols** TCP/IP v4/v6  
**Network Printing Protocols** IPP, LPD, Port 9100, WSD  
**Network Management Protocols** SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, PING, SLP, WSD, LLTD  
**WLAN Security** WEP 64-bit, WEP 128-bit, WPA2-PSK (TKIP/AES), WPA3-SAE (AES)

**Operating Systems**

Windows® 11 (64-bit), Windows 10 (32-bit, 64-bit), Windows 8.1 (32-bit, 64-bit), Windows 8 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista® (32-bit, 64-bit), Windows XP SP3 (32-bit), Windows XP Professional x64 Edition SP2, Windows Server® 2022<sup>‡</sup>, Windows Server 2019<sup>‡</sup>, Windows Server 2016<sup>‡</sup>, Windows Server 2012 R2<sup>‡</sup>, Windows Server 2012<sup>‡</sup>, Windows Server 2008 R2<sup>‡</sup>, Windows Server 2008<sup>‡</sup>, Windows Server 2003 R2<sup>‡</sup>, Windows Server 2003<sup>‡</sup>  
 Mac® OS X® 10.9.5 – macOS® 12.x<sup>10</sup>

**Solutions**

**Epson Solutions Suite** Epson Device Admin, Epson Print Admin, Epson Remote Services  
**Open Platform** Compatible with third-party software

**Paper Handling**

**Maximum Paper Size** 8.5" x 236"  
**Paper Sizes** 3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x 14", A4, A5, A6, Half Letter, Executive, User-Definable (3.5" x 5" – 8.5" x 236"), Oficio 9, Mexico Oficio, 16:9 wide  
**Paper Types** Plain paper, Epson Bright White Pro Paper, Epson Bright White Premium Paper, Epson Multipurpose Plus Paper, Epson Presentation Paper Matte, Epson Premium Presentation Paper Matte, Epson Premium Presentation Paper Matte Double-Sided, Epson Photo Paper Glossy, Epson Premium Photo Paper Glossy, Epson Ultra Premium Photo Paper Glossy, Epson Premium Photo Paper Semi-Gloss  
**Envelope Types** No. 10  
**Input Paper Capacity** 250 sheets plain paper (250 sheets plain paper x 1 tray); Rear Feed: 80 sheets (1,830 sheets total with three optional 500-sheet paper trays); 10 envelopes

**General**

**Display** 2.4" color LCD  
**Temperature**  
 Operating: 50 °F to 95 °F (10 °C to 35 °C)  
 Storage: -4 °F to 104 °F (-20 °C to 40 °C)  
**Relative Humidity**  
 Operating: 20% – 80%  
 Storage: 5% – 85% (no condensation)  
**Sound Level**  
 Power: 6.3 dB(A)  
 Pressure: 53 dB(A)  
**Rated Voltage** AC 100 V – 240 V Universal (Automatic)  
**Rated Frequency** 50 Hz – 60 Hz  
**Rated Current** 0.7 A – 0.4 A  
**Power Consumption**  
 Standalone: Approx. 25 W (ISO 24712)  
 Standby: Approx. 9.8 W  
 Sleep: Approx. 1.1 W  
 Power Off: Approx. 0.2 W  
**Typical Energy Consumption (TEC)**<sup>11</sup> 0.17 kWh  
**Safety Approvals** Safety standards UL62368-1, CAN/CSA C22 No. 62368-1-14; EMC FCC Part 15 Subpart B Class B, CAN/CSA ICES-003 Class B  
**Weight and Dimensions (W x D x H)**  
 Printing: 16.7" x 22.8" x 17.7"  
 Storage: 16.7" x 21.1" x 14.1"  
 Weight: 33.7 lb  
**Memory**<sup>12</sup> 2048MB

**What's in the Box**

WorkForce Pro WF-C5390 Color Printer, manual, power cord, 4x DURABrite Ultra initial ink packs<sup>2</sup> (1x Black Ink pack and 3x color ink packs: 1x Cyan, 1x Magenta, 1x Yellow)  
**Software Available**<sup>13</sup> Epson printer driver  
**Warranty** Standard 2-year limited warranty in the U.S. and Canada  
**Country of Origin** Indonesia

**Ink**

**Ink Type** DURABrite Ultra pigment ink  
**Ink Packs** 4x individual ink packs (1x Cyan, 1x Magenta, 1x Yellow and 1x Black)  
**Replacement Ink Packs**<sup>2</sup> T10S Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 3,000, Color: 3,000)  
 T10W Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 5,000, Color: 5,000)  
 T10Y Black (Yield, ISO pages – Black: 10,000)  
 Printer is designed for use with Epson ink packs only, not third-party ink systems\*.

**Eco Features**

Lowest power consumption in its class<sup>1</sup>  
 Save up to 50% of your paper supply with auto 2-sided printing  
 ENERGY STAR® qualified  
 RoHS compliant  
 Recyclable product<sup>14</sup>  
 Epson America, Inc. is a SmartWay® Transport Partner<sup>15</sup>

**Ordering Information**

WorkForce Pro WF-C5390	C11CK25201
Maintenance Box	C12C93821
Optional Input Tray	C12C937901
Paper Feed Roller for Cassette A	C12C938261
Paper Feed Roller for Cassette B	C12C938281
Low Optional Cabinet	C12CFM7066
Medium Optional Cabinet	C12CFM7067
Tall Optional Cabinet	C12CFM7068

**Epson Preferred<sup>SM</sup> Plus Extended Service Plans<sup>16</sup>**

Year 2 Upgrade to Premium	EPPDSKD1U
1-Year Extension – Standard	EPPDSKD1R
1-Year Extension – Premium	EPPDSKD1A

All images simulated.

\*This product uses only genuine Epson-brand ink packs. Other brands of ink packs and ink supplies are not compatible and, even if described as compatible, may not function properly or at all.

<sup>†</sup> Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software and page complexity. For more information, visit [www.epson.com/printspeed](http://www.epson.com/printspeed) | <sup>1</sup> Compared to similarly featured color laser printers with speeds of 30 ppm or less based on industry-available data as of March 2022. Actual power savings will vary by product model and usage. | <sup>2</sup> Replacement ink pack yields are estimated based on ISO/IEC 24711 test in Default Mode printing continuously. Ink pack yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink packs is used for printer startup and a variable amount of ink remains in the ink pack after the "replace ink pack" signal. For details, see [www.epson.com/inkinfo](http://www.epson.com/inkinfo) | <sup>3</sup> Actual savings will vary based on print tasks, print volumes and usage conditions. Savings comparison based on the purchase cost of replacement ink packs and the cost of enough color toner cartridges to achieve the total page yields of the ink packs using the manufacturers' online prices and yields for the highest-capacity toner cartridges for the best-selling similarly featured color laser printers with speeds of 30 ppm or less per industry-available data as of March 2022. | <sup>4</sup> Not all media types are supported for PCL printing. | <sup>5</sup> FPOT is measured on letter-size paper in accordance with ISO/IEC 17629. FSOT is measured on letter-size paper in accordance with ISO/IEC 24734. | <sup>6</sup> Monthly duty cycle is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the recommended monthly page volume. | <sup>7</sup> Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit [www.epson.com/connect](http://www.epson.com/connect) | <sup>8</sup> Wi-Fi CERTIFIED™; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | <sup>9</sup> Only printing is supported under Windows Server OS. | <sup>10</sup> Some applications and/or functions may not be supported under Mac OS X and macOS. | <sup>11</sup> Based on ENERGY STAR TEC measurement methodology; 288 prints/day; actual electricity consumption may vary depending on printer use. For more information, see [www.energystar.gov](http://www.energystar.gov) | <sup>12</sup> RAM size definition is the total amount of RAM memory capacity inside the device, regardless of memory use. | <sup>13</sup> Internet access is required to install Mac OS X and macOS drivers and software. | <sup>14</sup> For convenient and reasonable recycling options, visit [www.epson.com/recycle](http://www.epson.com/recycle) | <sup>15</sup> SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency. | <sup>16</sup> See individual service plan for details.

See the latest innovations from Epson Business Solutions at [www.epson.com/forbusiness](http://www.epson.com/forbusiness)

Better Products for a Better Future™  
eco.epson.com



Epson America, Inc.  
3131 Katella Ave., Los Alamitos, CA 90720

Epson Canada Limited  
185 Renfrew Drive, Markham, Ontario L3R 6G3

[www.epson.com](http://www.epson.com)  
[www.epson.ca](http://www.epson.ca)

Specifications and terms are subject to change without notice. EPSON, DURABrite, Epson ESC/P, Epson Smart Panel, PrecisionCore, PrecisionCore Heat-Free and WorkForce are registered trademarks. EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect, Epson iPrint, Remote Print are trademarks of Seiko Epson Corporation. Epson Preferred is a service mark of Epson America, Inc. AirPrint, Apple, Mac, macOS and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. Android is a trademark of Google LLC. Windows, Windows Server and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and other countries. Mopria is a registered and/or unregistered trademark and service mark of Mopria Alliance, Inc. in the United States and other countries. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. Wi-Fi® and Wi-Fi Direct® are registered trademarks and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2022 Epson America, Inc. Com-SS-Oct-13 CPD-62870R1 11/22





BARCODE  
FACTORY

## **Barcode Factory**

*A Paragon Print Systems Company*

**2021 Paragon Drive | Erie PA 16510**  
**814.456.8331 | Toll Free: 888.237.8525**  
**info@barcodefactory.com**