

PM308 Premium Wax-Resin

Outstanding Versatility and Print Quality



Food/Beverage



Health/Beauty



Logistics



Retail



The printhead cleaner *built in* your ribbon.

Benefits

- Prints on a broad range of substrates from rough to smooth
- Dark black images
- Crisp character and line formation with dark solid fills
- Compatible print energy requirements, no energy adjustments
- Enhanced durability compared to wax ribbons
- Anti-static formula and unique backcoat protects the printhead
- Clean Start® built-in printhead cleaner maintains print quality

Recommended Stocks

Paper

- Matte Coated

Synthetics

- PP / Polypropylene
- PE / Polyethylene

Applications

- Compliance labelling
- Component identification
- Industrial
- Ingredient lists
- Pallet labelling
- Product identification
- Shipping
- Warehousing
- Work in Process (WIP)

Key Product Range

STANDARD WAX	ENHANCED WAX	WAX RESIN	RESIN	NEAR EDGE
SW150 SW200	GP725 DC100	PM255 PM308 DC200	SP330 SP575 DC400	NETMark IQ NETFlex+ NETFlex+ XL NET330 NETColour

Technical Specifications

Colour Code Tab Teal
 Film Thickness 4.5 Microns
 Total Ribbon Thickness 8.4 Microns
 Transmission Density 2.6 MacBeth Scale
 Ink Melting Point 65°C / 149°F

Imaging Characteristics

Printhead Flathead
 Max Print Speed 8 IPS (203 mm/s)
 Image Darkness 1.7 RD (densitometer)

Compliance

- REACH – SVHC Free
- RoHS
- FDA GRAS Recognized
- FDA 21CFR175
- ISEGA

Storage Conditions

12 months recommended
 20-85% Relative Humidity Rate, -5-40°C (23-104°F)

Performance Ratings

