





15in LCD Touch Screen Monitor

+ Supports integrated MSR and 2nd display

+ Proven reliable performance+ Built-in universal power supply

+ Built-in speakers+ USB touch interface

The Logic Controls LE1015-J true flat, bezel free touch monitor is designed and manufactured to meet the requirements of retail or restaurant operations as part of a Point of Sale system. The highly rugged touch monitor includes a solid base with extra wide hinge for maximum stability. The LE1015-J touch monitor also facilitates quick and professional mounting of integrated magnetic stripe reader and VFD/LCD customer display.

logiccontrols.com



LE1015-J specifications

LCD TOUCH PANEL

LCD size: 15in (38.1cm)

Display active area: 11.97in x 8.98in (30.4cm x 22.8cm)

Brightness: 250 cd/m²
Response time: 12ms
Contrast ratio: 800:1

Resolution: XGA 1024 x 768 @ 75Hz, 16.2M colors Viewing angle: (CR≥10) Horizontal: 160°, Vertical: 145°

Touch screen: Projected capacitive touch panel, USB interface

ELECTRICAL

Power supply: Built-in universal power

Input: 100~240VAC, 50/60Hz

Power consumption: 30W max
Power saving mode: 1W max
Power off mode: 0.5W max

ENVIRONMENTAL

Operating temperature: 41°F to 104°F (5°C to 40°C)
Relative humidity: 20% – 80%, non-condensing

MECHANICAL

Net weight: 12 lbs (5.5 kg)

Dimension (W x D x H): 14.3in x 9.0in x 12.8in (36.4cm x 23.0cm x 32.6cm)

Color: Black

MISCELLANEOUS

Plug & Play: DDC2B

VESA wall mount compatible: 3.94in x 3.94in (10.0cm x 10.0cm)

Power management: VESA DPMS

Magnetic stripe reader (optional): Track 1/2/3, USB interface

Customer display (optional): 2x20 VFD, LCD (7in or 8in), USB interface