

TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High

Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black)

LPT600/3800NMOHFW (White)



- 4G / 5G LTE
- 617-960/1710-2170/ 2300-2700/3400-3800MHz
- Includes New Band 71 (617- 698 MHz) and CBRS Bands 42 and 48 (3.4-3.7 GHz)
- Omni radiation pattern
- Average peak gain 3.8/5.2/5.6/5.4dBi
- Power rating 60W
- Size Dia. 40.9mm (1.61")
- Height 77.7mm (3.06")
- NMOHF Connector


Applications:

- 4G / 5G (LTE)
- Utility boxes
- Smart metering
- IoT Devices



Issue: 1912P

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 LISA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998

Preliminar



TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High

Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black)

LPT600/3800NMOHFW (White)

ELECTRICAL SPECIFICATIONS

Antenna type Monopole, Measured on Ø1016mm (40") ground plane

Frequency 617-960/1710-2170/2300-2700/3400-3800 MHz

Nominal Impedance 50Ω

VSWR (617-960/1710-3800) 3:1

Average peak gain (617-960/1710-2170/2300-2700/3400-3800) 3.8/5.2/5.6/5.4 dBi

Average efficiency (617-960/1710-2170/2300-2700/3400-3800) 85/82/83/77 %

Radiation Pattern Omni

HPBW Vertical Plane (617-960/1710-2170/2300-2700/3400-3800) 45/30/23/32 °

Polarization Vertical Power withstanding 60 W

MECHANICAL SPECIFICATIONS

Diameter / height 40.9 / 77.7mm (1.61" / 3.06")

Weight 63 g (.14lbs)

Antenna Color / Material Black or White / UV Stabilized plastic

Connector NMOHF

Mounting (required) NMOHF

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40° to +85° C

Ingress Protection IP67
RoHS Compliant Yes

OTHER SPECIFICATIONS

Issue: 1912P

Preliminary



TECHNICAL DATA SHEET


Description: 617-3800MHz, NMO High

Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black)

LPT600/3800NMOHFW (White)

MECHANICAL DRAWING



All dimensions are in mm / inches

Issue: 1912P

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High

Frequency mount, Monopole


PART NUMBER: LPT600/3800NMOHF (Black)

LPT600/3800NMOHFW (White)

CHARTS

VSWR vs Frequency LPT600/3800NMOHF Measured on Ø40" GP

Measured at Pulse, USA - Nov 16, 2018



Issue: 1912P

Preliminary




TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black) LPT600/3800NMOHFW (White)

CHARTS

Peak Gain vs Frequency LPT600/3800NMOHF Measured on Ø40" GP




Efficiency vs Frequency LPT600/3800NMOHF Measured on Ø40" GP

617-960

Measured at Pulse, USA - Nov 16, 2018

-1710-2170 **--**2300-2700 **--**3500-3800



Issue: 1912P

Measured on Ø40"

Ground Plane No cable

Measured on Ø40" Ground Plane No cable

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



F




TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black) LPT600/3800NMOHFW (White)

CHARTS



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black) LPT600/3800NMOHFW (White)

CHARTS



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black) LPT600/3800NMOHFW (White)

CHARTS



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

COMPLIANT




TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black) LPT600/3800NMOHFW (White)

CHARTS



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





TECHNICAL DATA SHEET

Description: 617-3800MHz, NMO High

Frequency mount, Monopole

PART NUMBER: LPT600/3800NMOHF (Black)

LPT600/3800NMOHFW (White)

PACKAGING

1 antenna packed in a plastic bag

1 label on each plastic with part number, description, date code.

ASSEMBLY

