

RWA-G44WW-10-SSSRR

5-in-1 Wedge antenna, 1 x GPS, 2
x 3G/4G/LTE, 2 x Wi-Fi

RFMAX

Series: Wedge

RFMAX 5-in-1 Multi-Band Antenna for Dashboard/Windshield Mounting. GPS + Dual Cellular/MiMo LTE + Dual Wi-Fi.



www.rfmax.us
info@rfmax.us



www.rfmax.us

Rev. 02/2018


RFMAX

RWA-G44WW-10-SSSRR

5-in-1 Wedge antenna, 1 x GPS, 2
x 3G/4G/LTE, 2 x Wi-Fi

RFMAX

Series: Wedge



RWA-G44WW-10-SSSRR

5-in-1 Wedge antenna, 1 x GPS, 2
x 3G/4G/LTE, 2 x Wi-Fi

RFMAX

Series: Wedge

ANTENNA SPECIFICATIONS

Model Number	RWA-G44WW-10-SSSRR
Frequency Range	
694-960 MHz (LTE)	1700-2750 MHz (LTE)
2400-2500/4900-6000 MHz (Wi-Fi)	1575 MHz (GPS)
Gain	
0 dBi Peak	694-960 MHz
2 dBi Peak	1710-2700 MHz
2 dBi Peak	2.4-2.5/4.9-6.0 GHz
GPS Unit Gain	
26 dB	5 dBi
Voltage	3.3/5 VDC
Current	10 Ma (typ.), 20mA (max.)
VSWR	2:1
Nominal Impedance	50 Ω
Max Power	10 Watts
Cable	10 ft. of RG-174
"Connectors"	"SMA-Male on GPS and Cellular, "RPSMA-Male on WiFi"
Mounting	Tape Mounting
Temperature	-40°C to +80°C
Radome Material	Black ASA Plastic

"Additional connector options available upon request."